

SAFETY DATA SHEET (EC 1907/2006)

Lucitone 199, Powder
Lucitone Characterized
Lucitone 199 Repair Material, Powder
Lucitone FAS-POR, Powder

DeguDent
A Dentsply International Company

Material no.		Version	1.5 / GB
Specification	142125	Revision date	22.09.2010
VA-Nr		Print Date	23.09.2010
		Page	1 / 5

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product information

Trade name Lucitone 199, Powder
 Lucitone Characterized
 Lucitone 199 Repair Material, Powder
 Lucitone FAS-POR, Powder

Company DeguDent GmbH
 Postfach 1364
 D-63403 Hanau

Telephone +49 (0)6181/59-5767
Telefax +49 (0)6181/59-5879
Email address SDB@degudent.de
Emergency telephone number +49 (0)180 / 23 24-555

Use of the Substance / Preparation For dental use only.

REACH Registration No.: if available listed in Chapter. 3

2. HAZARDS IDENTIFICATION

Other Hazards

Mechanical irritation of skin and mucous linings of eyes and respiratory tract may occur.
Danger of dust explosion.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Information on ingredients / Hazardous components as per Directive 67/548/EC or Directive 1999/45/EC

● Poly(methyl methacrylate)	95% - 100%
CAS-No. 9011-14-7	

See chapter 16 for text of risk phrases

4. FIRST AID MEASURES

Description of first aid measures

Remove contaminated or saturated clothing.

Inhalation

In case product dust is released:
Move victims into fresh air.
In case of persistent discomfort
Consult a physician immediately.

Skin contact

Wash off with soap and plenty of water.

Eye contact

Possible discomfort is due to foreign substance effect.

SAFETY DATA SHEET (EC 1907/2006)

Lucitone 199, Powder
Lucitone Characterized
Lucitone 199 Repair Material, Powder
Lucitone FAS-POR, Powder

DeguDent
A Dentsply International Company

Material no.		Version	1.5 / GB
Specification	142125	Revision date	22.09.2010
VA-Nr		Print Date	23.09.2010
		Page	2 / 5

Rinse thoroughly with plenty of water keeping eyelid open.
In case of persistent discomfort
Consult an ophthalmologist.

Ingestion

Rinse out mouth.
After absorbing large amounts of substance:
Consult a physician.

Indication of any immediate medical attention and special treatment needed

After absorbing large amounts of substance:
Acceleration of gastrointestinal passage

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

mist, foam, quenching powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

high volume water jet

Special hazards arising from the substance or mixture

May be released in case of fire: carbon monoxide, carbon dioxide, organic products of decomposition.

Special protective equipment for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Advice for firefighters

Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

No particular measures required.

Environmental precautions

Do not allow entrance in sewage water, soil stretches of water, groundwater, drainage systems.

Methods and material for containment and cleaning up

Pick up mechanically and collect in a suitable container. Avoid formation of dust.
Sweep up to prevent slipping hazard.
Clean up promptly by scoop or vacuum.

7. HANDLING AND STORAGE

Handling

Precautions for safe handling

Avoid dust formation.

Advice on protection against fire and explosion

Danger of dust explosion.
Caution - electrostatic charge may occur.
Take precautionary measures against static discharges.
Keep away from sources of ignition - No smoking.

SAFETY DATA SHEET (EC 1907/2006)

Lucitone 199, Powder
Lucitone Characterized
Lucitone 199 Repair Material, Powder
Lucitone FAS-POR, Powder

DeguDent
A Dentsply International Company

Material no.		Version	1.5 / GB
Specification	142125	Revision date	22.09.2010
VA-Nr		Print Date	23.09.2010
		Page	3 / 5

Storage

Conditions for safe storage, including any incompatibilities

Keep in a dry place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

• exposure limit for dust			
CAS-No.			
Control parameters	4 mg/m ³		(EH40 (UK))
type of exposition	Respirable dust.		
Control parameters	3 mg/m ³		Time Weighted Average (TWA):(ACGIH)
type of exposition	Respirable particles.		

Engineering measures

In case product dust is released:
Local ventilation.

Personal protective equipment

Respiratory protection

If workplace exposure limit is exceeded apply Dust mask with P2 particle filter.

If dust occurs: Nose and mouth mask with P2 particle filter

If workplace exposure limits are exceeded and/or larger amounts are released (leakage, spilling, dust) the indicated respiratory protection should be used.

Hand protection

Wear protective gloves made of the following materials: nitrile rubber (NBR), natural latex (NR), PVC. Suitability for specific workplaces should be clarified with protective glove manufacturers.

Eye protection

Safety glasses with side-shields

If dust occurs: basket-shaped glasses

Hygiene measures

Handle in accordance with good industrial hygiene and safety practices.

No eating, drinking, smoking, or snuffing tobacco at work. Wash face and/or hands before break and end of work.

If workplace exposure limits are exceeded and/or larger amounts are released (leakage, spilling, dust) the indicated respiratory protection should be used.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form	powder
Colour	according to the coloration
Odour	odourless

Information on basic physical and chemical properties

pH	not applicable
----	----------------

Melting point/range	> 210 °C
---------------------	----------

SAFETY DATA SHEET (EC 1907/2006)**Lucitone 199, Powder**
Lucitone Characterized
Lucitone 199 Repair Material, Powder
Lucitone FAS-POR, Powder**DeguDent**
A Dentsply International Company

Material no.		Version	1.5 / GB
Specification	142125	Revision date	22.09.2010
VA-Nr		Print Date	23.09.2010
		Page	4 / 5

Boiling point/range	not applicable
Flash point	not applicable
Flammability (solid, gas)	not determined
Autoinflammability	does not ignite
Thermal decomposition	250 °C
Lower explosion limit	not known
Upper explosion limit	not known
Vapour pressure	not determined
Bulk density	325 - 375 kg/m ³ (20 °C)
Water solubility	insoluble
Partition coefficient (n-octanol/water)	not applicable
Viscosity, dynamic	not known

10. STABILITY AND REACTIVITY

Conditions to avoid	None known
Incompatible materials	None known
Hazardous decomposition products	decomposition products if heated above 250 °C irritative gases/vapours, Carbon monoxide, carbon dioxide (CO ₂), organic products of decomposition
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.

11. TOXICOLOGICAL INFORMATION

No results of animal experiments with the product available.

Human experience	Mechanical irritation of skin and mucous linings of eyes and respiratory tract may occur.
------------------	---

12. ECOLOGICAL INFORMATION**Ecotoxicity effects**

Ecotoxicological tests with this preparation are not available.

Further information on ecology

Further Information	The product is a solid, insoluble in water, chemically inert and virtually not
---------------------	--

SAFETY DATA SHEET (EC 1907/2006)

Lucitone 199, Powder
Lucitone Characterized
Lucitone 199 Repair Material, Powder
Lucitone FAS-POR, Powder

DeguDent
A Dentsply International Company

Material no.		Version	1.5 / GB
Specification	142125	Revision date	22.09.2010
VA-Nr		Print Date	23.09.2010
		Page	5 / 5

biologically degradable.
No negative effects known.

13. DISPOSAL CONSIDERATIONS

Product

Disposal according to local authority regulations.

Uncleaned packaging

Disposal according to local authority regulations.

14. TRANSPORT INFORMATION

Transport/further information

Not classified as dangerous in the meaning of transport regulations.

15. REGULATORY INFORMATION

Labelling according to EC Directives

Other data According to the Dangerous Preparations Directive (1999/45/EG):
no labelling

National legislation

16. OTHER INFORMATION

Risk phrase (R phrase) texts

Further information

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.