

**SAFETY DATA SHEET (EC 1907/2006)****StarLoy soft, laser welding wire****DeguDent**  
A Dentsply Company

Material no.		Version	1.2 / GB
Specification	156491	Revision date	22.11.2011
VA-Nr	01628707	Print Date	02.12.2011
		Page	1 / 8

**1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING****Product information**

Trade name	StarLoy soft, laser welding wire
Company	DeguDent GmbH Postfach 1364 D-63403 Hanau
Telephone	+49 (0)6181/59-5767
Telefax	+49 (0)6181/59-5879
Email address	SDB@degudent.de
Emergency telephone number	+49 (0)180 / 23 24-555

Use of the Substance / Preparation For dental use only.

REACH Registration No.: if available listed in Chapter. 3

**2. HAZARDS IDENTIFICATION****Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Respiratory sensitization	Category 1	H334
Skin Sensitisation	Category 1	H317
Hazardous to the aquatic environment - Chronic Hazard	Category 4	H413

**GHS-Labeling****hazard-defining component(s) (GHS)**

- cobalt

Symbol(s)



Signal word	Danger
Hazard statement	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled. H317 - May cause an allergic skin reaction. H413 - May cause long lasting harmful effects to aquatic life.
Precautionary statement	P280 - Wear protective gloves/protective clothing/eye protection.
Precautionary statement: Prevention	P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P272 - Contaminated work clothing should not be allowed out of the workplace. P273 - Avoid release to the environment. P285 - In case of inadequate ventilation wear respiratory protection.
Precautionary statement: Reaction	P302 + P352 - IF ON SKIN: Wash with plenty of soap and water. P304 + P341 - IF INHALED: If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention. P342 + P311 - If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician. P363 - Wash contaminated clothing before reuse.

**Supplemental hazard / labelling elements (EU):**

May react forming chromium(VI) compounds when processing thermally.

**SAFETY DATA SHEET (EC 1907/2006)****StarLoy soft, laser welding wire****DeguDent**  
A Dentsply Company

Material no.		Version	1.2 / GB
Specification	156491	Revision date	22.11.2011
VA-Nr	01628707	Print Date	02.12.2011
		Page	2 / 8

**Classification as per Directive 67/548/EC or Directive 1999/45/EC**

In accordance with Directive 1999/45/EC, the product does not need to be classified nor labelled.

**Other Hazards**

May react forming chromium(VI) compounds when processing thermally.  
May release metal vapours when melting.

cobalt - vapour is released during processing.  
Limited evidence of a carcinogenic effect.

**3. COMPOSITION/INFORMATION ON INGREDIENTS****Information on ingredients / Hazardous components As per EU-CLP Ordinance (EC) No. 1272/2008**

<b>• cobalt</b>				65.1%		
CAS-No.	7440-48-4	EC-No.	231-158-0			
	Respiratory sensitization				Category 1	H334
	Skin Sensitisation				Category 1	H317
	Hazardous to the aquatic environment - Chronic Hazard				Category 4	H413
<b>• chromium</b>				28.0%		
CAS-No.	7440-47-3	EC-No.	231-157-5			
<b>• molybdenum</b>				5.9%		
CAS-No.	7439-98-7	EC-No.	231-107-2			
<b>• Silicium</b>				0.5%		
CAS-No.	7440-21-3	EC-No.	215-609-9			
<b>• manganese</b>				0.5%		
CAS-No.	7439-96-5	EC-No.	231-105-1			

**Information on ingredients / Hazardous components as per Directive 67/548/EC or Directive 1999/45/EC**

<b>• cobalt</b>				65.1%		
CAS-No.	7440-48-4	EC-No.	231-158-0			
	R42/43					
	R53					
<b>• chromium</b>				28.0%		
CAS-No.	7440-47-3	EC-No.	231-157-5			
<b>• molybdenum</b>				5.9%		
CAS-No.	7439-98-7	EC-No.	231-107-2			
<b>• Silicium</b>				0.5%		
CAS-No.	7440-21-3	EC-No.	215-609-9			
<b>• manganese</b>				0.5%		
CAS-No.	7439-96-5	EC-No.	231-105-1			

# SAFETY DATA SHEET (EC 1907/2006)

## StarLoy soft, laser welding wire

Material no.		Version	1.2 / GB
Specification	156491	Revision date	22.11.2011
VA-Nr	01628707	Print Date	02.12.2011
		Page	3 / 8

**DeguDent**  
A Dentsply Company

Texts of H phrases, see in Chapter 16  
See chapter 16 for text of risk phrases

### 4. FIRST AID MEASURES

#### Inhalation

Remove to fresh air.  
If symptoms persist, call a physician.

#### Skin contact

Wash off with soap and water.  
In the case of skin irritation or allergic reactions see a physician.

#### Eye contact

Rinse with plenty of water.  
If eye irritation persists, consult a specialist.

#### Ingestion

Clean mouth with water and drink afterwards plenty of water.  
Consult a physician immediately.

### 5. FIRE-FIGHTING MEASURES

#### Suitable extinguishing media

special powder against metal fire, quenching powder, dry sand, common salt

#### Unsuitable extinguishing media

water, carbon dioxide (CO<sub>2</sub>)

#### Special hazards arising from the substance or mixture

May be released in case of fire: cobalt oxide.

#### Special protective equipment for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

#### Advice for firefighters

Prevent fire extinguishing water from contaminating surface water or the ground water system.

### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Avoid dust formation.  
Avoid breathing dust.  
In case of dust being formed, provide for adequate extraction.  
Ensure suitable suction/aeration at the work place and with operational machinery.

#### Environmental precautions

Do not flush into surface water or sanitary sewer system.

#### Methods and material for containment and cleaning up

Use mechanical handling equipment.  
Avoid dust formation.  
Fill into marked, sealable containers.

### 7. HANDLING AND STORAGE

#### Handling

##### Precautions for safe handling

When melting, soldering and grinding:

**SAFETY DATA SHEET (EC 1907/2006)****StarLoy soft, laser welding wire****DeguDent**  
A Dentsply Company

Material no.		Version	1.2 / GB
Specification	156491	Revision date	22.11.2011
VA-Nr	01628707	Print Date	02.12.2011
		Page	4 / 8

Local ventilation.  
 Avoid dust formation.  
 If occurs dust / vapour: Wear personal protective equipment  
 Do not breathe Dusts and vapours:.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Control parameters**

<b>• cobalt</b>			
CAS-No.	7440-48-4	EC-No.	231-158-0
Control parameters	0.1 mg/m3		Time Weighted Average (TWA):(EH40 WEL)
<b>• chromium</b>			
CAS-No.	7440-47-3	EC-No.	231-157-5
Control parameters	0.5 mg/m3		Time Weighted Average (TWA):(EH40 OES)
Control parameters	0.05 mg/m3		Time Weighted Average (TWA):(EH40 MEL)
Control parameters type of exposition	4 mg/m3 Respirable dust.		Time Weighted Average (TWA):(EH40 (UK))
Control parameters type of exposition	10 mg/m3 Total inhalable dust.		Time Weighted Average (TWA):(EH40 (UK))
Control parameters	0.5 mg/m3		Time Weighted Average (TWA):(EH40 WEL)
Control parameters	2 mg/m3 Indicative		Time Weighted Average (TWA):(EU ELV)
<b>• molybdenum</b>			
CAS-No.	7439-98-7	EC-No.	231-107-2
Control parameters	10 mg/m3		Time Weighted Average (TWA):(EH40 WEL)
Control parameters	20 mg/m3		Short Term Exposure Limit (STEL):(EH40 WEL)
<b>• Silicium</b>			
CAS-No.	7440-21-3	EC-No.	215-609-9
Control parameters type of exposition	4 mg/m3 Respirable dust.		Time Weighted Average (TWA):(EH40 (UK))
Control parameters type of exposition	10 mg/m3 Total inhalable dust.		Time Weighted Average (TWA):(EH40 (UK))
Control parameters type of exposition	10 mg/m3 Inhalable dust.		Time Weighted Average (TWA):(EH40 WEL)
Control parameters type of exposition	4 mg/m3 Respirable dust.		Time Weighted Average (TWA):(EH40 WEL)
<b>• manganese</b>			
CAS-No.	7439-96-5	EC-No.	231-105-1
Control parameters	0.5 mg/m3		Time Weighted Average (TWA):(EH40 WEL)

**Engineering measures**

cobalt - vapour is released during processing.  
 Ensure that there is suitable air extraction / ventilation at the workplace or at the working machines.  
 Extractor suction on specific objects.

**SAFETY DATA SHEET (EC 1907/2006)****StarLoy soft, laser welding wire****DeguDent**  
A Dentsply Company

Material no.		Version	1.2 / GB
Specification	156491	Revision date	22.11.2011
VA-Nr	01628707	Print Date	02.12.2011
		Page	5 / 8

**Personal protective equipment****Respiratory protection**

When working without/without sufficient suction of objects:

Respirator with P3 particle filter

**Hand protection**

protective gloves

Glove material butyl-rubber, nitrile rubber, Natural Rubber/Natural latex (NR)

**Eye protection**

Safety glasses with side-shields

If fumes, dust occurs: basket-shaped glasses

**Skin and body protection**

If cobalt - vapour occurs: Change contaminated clothing.

Use suitable skin protective agents before handling product. Cleanse and apply cream to skin after work.

Preventive skin protection recommended.

**Hygiene measures**

If there is the possibility of skin/eye contact, the indicated hand/eye/body protection should be used.

No eating, drinking, smoking, or snuffing tobacco at work. Wash face and/or hands before break and end of work.

Do not inhale fumes, dust, vapour.

If workplace exposure limits are exceeded and/or larger amounts are released (leakage, spilling, dust) the indicated respiratory protection should be used.

**9. PHYSICAL AND CHEMICAL PROPERTIES****Appearance**

Form	solid
Colour	white
Odour	odourless

**Information on basic physical and chemical properties**

Melting point/range	1290 - 1390 °C
Density	8.3 g/cm <sup>3</sup>

**10. STABILITY AND REACTIVITY**

Conditions to avoid	None known
Incompatible materials	None known
Hazardous decomposition products	decomposition products if heated above melting point. Metallic vapours

**11. TOXICOLOGICAL INFORMATION**

Acute oral toxicity	no data available
Acute inhalation toxicity	no data available
Acute dermal toxicity	no data available

**SAFETY DATA SHEET (EC 1907/2006)****StarLoy soft, laser welding wire**

Material no.		Version	1.2 / GB
Specification	156491	Revision date	22.11.2011
VA-Nr	01628707	Print Date	02.12.2011
		Page	6 / 8

**DeguDent**  
A Dentsply Company

Skin irritation	no data available
Eye irritation	no data available
Sensitization	no data available
Repeated dose toxicity	no data available
Mutagenicity assessment	no data available
Carcinogenicity	No data available
Toxicity to reproduction	No data available
Human experience	To date handling this product has not been known to cause any detrimental effects.
Further information	No dangerous reactions are known to occur with correct handling and storage. Cobalt (dusts and vapours): Clues to possible carcinogenic effects in animal experiments. literature

---

**12. ECOLOGICAL INFORMATION****Further information on ecology**

Further Information	Dusts and water soluble alloy types: Prevent penetration into soil, stretches of water and drainage systems.
---------------------	---

---

**13. DISPOSAL CONSIDERATIONS****Product**

Disposal according to local authority regulations.

**Uncleaned packaging**

Disposal according to local authority regulations.

---

**14. TRANSPORT INFORMATION****Transport/further information**

Not dangerous according to transport regulations.

**SAFETY DATA SHEET (EC 1907/2006)****StarLoy soft, laser welding wire**

Material no.		Version	1.2 / GB
Specification	156491	Revision date	22.11.2011
VA-Nr	01628707	Print Date	02.12.2011
		Page	7 / 8

**DeguDent**  
A Dentsply Company

---

**15. REGULATORY INFORMATION****National legislation**

---

**16. OTHER INFORMATION****Risk phrase (R phrase) texts**

- **cobalt**

R42/43	May cause sensitization by inhalation and skin contact.
R53	May cause long-term adverse effects in the aquatic environment.

**Texts of the H-phrases**

- **cobalt**

H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H317	May cause an allergic skin reaction.
H413	May cause long lasting harmful effects to aquatic life.

**Further information**

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**SAFETY DATA SHEET (EC 1907/2006)****StarLoy soft, laser welding wire**

Material no.		Version	<b>1.2 / GB</b>
Specification	<b>156491</b>	Revision date	<b>22.11.2011</b>
VA-Nr	<b>01628707</b>	Print Date	<b>02.12.2011</b>
		Page	<b>8 / 8</b>

**DeguDent**  
A Dentsply Company**Legend**

<b>ADR</b>	European Agreement concerning the International Carriage of Dangerous Goods by Road
<b>ADN</b>	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
<b>ASTM</b>	American Society for Testing and Materials
<b>ATP</b>	Adaptation to Technical Progress
<b>BCF</b>	Bioconcentration Factor
<b>BetrSichV</b>	German Ordinance on Industrial Safety and Health
<b>c. c.</b>	closed cup (geschlossenes Gefäß)
<b>CAS</b>	Chemical Abstract Services
<b>CESIO</b>	European Committee of Organic Surfactants and their Intermediates
<b>ChemG</b>	German Chemicals Act
<b>CMR</b>	Carcinogenic-Mutagenic-toxic for Reproduction
<b>DIN</b>	German Institute for Standardization
<b>DNEL</b>	Derived No Effect Level
<b>EINECS</b>	European Inventory of Existing Commercial Chemical Substances
<b>GefStoffV</b>	German Ordinance on Hazardous Substances
<b>GGVSEB</b>	German ordinance for road, rail and inland waterway transportation of dangerous goods
<b>GGVSee</b>	German ordinance for sea transportation of dangerous goods
<b>GLP</b>	Good Laboratory Practice.
<b>GMO</b>	Genetic Modified Organism
<b>IATA DGR</b>	International Air Transport Association – Dangerous Goods Regulations
<b>ICAO-TI</b>	International Civil Aviation Organisation - Technical Instructions
<b>IMDG Code</b>	International Maritime Dangerous Goods Code
<b>ISO</b>	International Organization For Standardization
<b>LOAEL</b>	Lowest Observed Adverse Effect Level
<b>LOEL</b>	Lowest Observed Effect Level
<b>NOAEL</b>	No Observed Adverse Effect Level
<b>NOEC</b>	No Observed Effect Concentration
<b>NOEL</b>	No Observed Effect Level
<b>o. c.</b>	open cup (offenes Gefäß)
<b>OECD</b>	Organisation for Economic Cooperation and Development
<b>OEL</b>	Occupational Exposure Limit
<b>PBT</b>	Persistent, Bioaccumulative, Toxic
<b>PEC</b>	Predicted Effect Concentration
<b>PNEC</b>	Predicted No Effect Concentration
<b>RID</b>	Regulations concerning the International Carriage of Dangerous Goods by Rail
<b>TA</b>	Technical Instructions (German Ordinance)
<b>TPR</b>	Third Party Representative (Art. 4)
<b>TRGS</b>	Technical Rules for Hazardous Substances (German Regulations)
<b>VCI</b>	German "Verband der Chemischen Industrie e. V."
<b>vPvB</b>	Very Persistent, Very Bioaccumulative
<b>VOC</b>	Volatile Organic Compounds
<b>VwVwS</b>	German Administrative Regulation on the Classification of Substances Hazardous to Waters into Water Hazard Classes
<b>WGK</b>	German Water Hazard Class
<b>WHO</b>	World Health Organization